

The best manuscripts of the Gospels

blue = have large lacunae [...] = groups

D^{Byz} = for Byz variants only

Mt:

1. Primary: 01, B, L¹⁸⁻²⁸, *Z, 085*, sa
 2. Secondary: Θ¹⁴⁻²⁸, *0281*, 33²¹⁻²⁸, 372¹⁻¹⁰, 892, vg, bo
 3. Tertiary: D^{Byz}, f1, 33, 700¹⁵⁻²⁸, it, Sy-S, Sy-C
[372, 2737, 2786] <- data incomplete
- "Caesarean": Θ, f13, weak: (700, 1424)
- "Western": D, it, Sy-S, Sy-C
- Byzantine: A, C, L¹⁻¹⁷, W, Δ, Θ¹⁻¹³, 28, 157, 565, 579, 700¹⁻¹⁴, 1071, 1241, 1424, Sy^{P,H}
-

Mk:

1. Primary: 01, B, L, *Ψ, 083, 0274*, bo
 2. Secondary: (*P45^{Byz}, P88*), C, Δ, 892, 1342, sa
Δ and 1342 get much better from ch. 5 on.
 3. Tertiary: (33, 579, vg) weak
- "Caesarean": [Θ, 565], f1, f13, 28, 700, 2542
- "mixed": *P45*, W, Sy-S
- "Western": D, it
- Byzantine: A, (f13), 157, 1071, 1241, 1424, (vg), Sy^{P,H}
-

Lk:

1. Primary: *P4, P75*, 01, B, L, *T, W¹⁻⁷, E*, Co
 2. Secondary: *P45, R¹³⁻¹⁶, 070*, 579, 1241, 1342⁶⁻¹⁰
1342 is much better in ch. 6-10 (ca. 6:35-11:15), elsewhere Byz.
 3. Tertiary: *Q*, f1, 157, 565¹⁻², 700¹⁻¹⁰, 892, vg, Sy-S
- "Western": D, it, (Sy-S, Sy-C)
- Byzantine: A, (C), X, W⁸⁻²⁴, Θ, Ψ, f13, 28, (33), 565, 700¹¹⁻²⁴, 1071, 1424, Sy^{P,H}
-

Jo:

1. Primary: *P66¹⁻⁵, P75*, B, C, L, W, *T, 083*
 2. Secondary: *P5, P66⁶⁻²¹*, 01, D^{Byz}, X, *070, 086*, 33, 849, Co, Sy-C^{Byz}
 3. Tertiary: (Ψ, [*0141/821*], 397, 579, 597, 1241, 2786) ← all weak
- "Western": (*P66⁶⁻²¹*), 01¹⁻⁸, D, Lat/it, (vg), Sy-S, Sy-C
- Byzantine: A, N, Θ, (f1), f13, 28, 157, 565, 700, 892, (1071), 1424, vg, Sy^{P,H}